

LUX 120V LED TAPE LIGHT

DATE:	PROJECT:	TYPE:
-------	----------	-------



LUX technology provides uniformed light, up to 164 ft, without the need for any remote power supplies

Features

- 300 lumens per foot.
- Direct line voltage, plug & play
- Industry-leading 90 CRI
- 5 year factory warranty



Technical Information

Standard CCT 's	2700 / 3000K / 4000K	Dimmable.	Yes
Wattage per ft.	4W Per Foot	Diode Type	2835 SMD
Voltage	120V	Mounting	3M™ Self-Adhesive Tape
Tape Height	0.1 Inch	Max Spool Lengths	164'
Beam Angle	120°	Rating	IP65 Rated
		Certifications	ETL Listed

In addition to stocked colors, a wide variety of color temperatures are also available by special order. Consult factory for more information.

Ordering Code


EX: LUX-120V-30K—IP65

MODEL	VOLTAGE	CCT	LENGTH	RATING
LUX	120V • 120V	27K • 2700K 30K • 3000K 40K • 4000K	Blank (164 FT)	IP65 (Outdoor)

SPECIFICATIONS SUBJECT TO CHANGE, CONSULT FACTORY WHEN CRITICAL.

DATE:	PROJECT:	TYPE:
-------	----------	-------

Technical Information




1.6in, 0.98in, 1.65in, 0.75in, 1.1in, 1.5in, 24in, 24in

1 L snap connector (Indoor & Outdoor) 1 x1

2 Splice connector (Indoor & Outdoor) 2 x1

3 Jumper(24") (Indoor & Outdoor) 3 x1


4 End cap with power cord (Indoor & Outdoor) 4 x1



24in, 1.83in, 1.83in, 24in, 1.83in, 1.83in, 24in

1 Extended cord(male & female) 1 x1

2 Extended cord(male) with end cap(Indoor) 2 x1



0.87in, 3.0in


1 Waterproof 2PIN connector 1 x1

SPECIFICATIONS SUBJECT TO CHANGE, CONSULT FACTORY WHEN CRITICAL.


DATE:	PROJECT:	TYPE:
-------	----------	-------

Mounting Accessories


Mounting clips
0.79"×0.59"×0.45"




Screw
1.18"×0.14"




Wall plug
1.1"×0.3"



Length	Screw	Wall plug
4FT	2pcs	2pcs
164FT [roll]	83pcs	83pcs




Razer
0.75"×0.44"




Length

Aluminum profile



Slim
0.73"×0.31"




Length

Aluminum profile




Stud
0.79"×1.18"




Length

Aluminum profile



Rule
0.79"×0.79"



Length

Aluminum profile

