

# LUX 120V LED TAPE LIGHT

DATE:	PROJECT:	TYPE:
-------	----------	-------



LUX technology provides uniformed light, up to 164 ft, without the need for any remote power supplies

## Features

- 510 lumens per foot.
- Direct line voltage, plug & play
- Industry-leading 90 CRI
- 5 year factory warranty



## Technical Information

Standard CCT 's	2700 / 3000K / 4000K	Dimmable.	Yes
Wattage per ft.	6W Per Foot	Diode Type	2835 SMD
Voltage	120V	Mounting	3M™ Self-Adhesive Tape
Tape Height	0.1 Inch	Max Spool Lengths	164'
Beam Angle	120°	Rating	IP65 Rated
		Certifications	ETL Listed

In addition to stocked colors, a wide variety of color temperatures are also available by special order. Consult factory for more information.

## Ordering Code




EX: LUX-120V-30K-IP65

MODEL	VOLTAGE	CCT	LENGTH	RATING
LUX	120V • 120V	27K • 2700K 30K • 3000K 40K • 4000K	Blank (164 FT)	IP65 (Outdoor)

SPECIFICATIONS SUBJECT TO CHANGE, CONSULT FACTORY WHEN CRITICAL.

DATE:	PROJECT:	TYPE:
-------	----------	-------

## Technical Information




SPECIFICATIONS SUBJECT TO CHANGE, CONSULT FACTORY WHEN CRITICAL.


DATE:	PROJECT:	TYPE:
-------	----------	-------

## Mounting Accessories


**Mounting clips**  
0.79"×0.59"×0.45"




**Screw**  
1.18"×0.14"




**Wall plug**  
1.1"×0.3"



Length	Screw	Wall plug
4FT	2pcs	2pcs
164FT [roll]	83pcs	83pcs



**Razer**  
0.75"×0.44"




Length

Aluminum profile



**Slim**  
0.73"×0.31"




Length

Aluminum profile




**Stud**  
0.79"×1.18"




Length

Aluminum profile




**Rule**  
0.79"×0.79"



Length

Aluminum profile



SPECIFICATIONS SUBJECT TO CHANGE, CONSULT FACTORY WHEN CRITICAL.